

Sani Close




Sanification Device for small close rooms

Sanification Free Standing/Ceiling/Wall device projected to eliminate airborne pathogens in the air into small confined rooms.

A perception of clean odor-free air is felt when entering in the place where the appliance is installed; the benefit is assured and durable over the time.

Very silent, can be easily backing or ceiling/wall installed.

Very low energy consumption; suggested the 24 hours ongoing use for a total sanification effect of the room air and the surfaces.



NANO
PROJECT

Applications

Wardrobe, Caravan,
Boats, Taxi
Small rooms

Features

Silent
Low energy consumption
Double fan
Free maintenance

Colours available

■ black □ white ■ dark brown ■ grey


Optional

Power supply 12 V (Sani Close 12)

GENERAL FEATURES

Category	Air Sanitizer
Room (cover m ²)	up to 15
Materials	Painted steel structure
Airflow capacity (m ³ /h)	18
Power absorbed (W)	6
Noise (dB)	25
Operating temperature (°C)	0 - 50
Voltage (V)	110 - 240 (optional 12 V power supply)
Frequency (Hz)	50 - 60
N° NTP (non thermal plasma)	1
Led UVC	Yes
Photocatalyst	Yes
Type of inlet filter Type of outlet filter	Polyester long fiber lasting
Montage	Desk • Wall • Ceiling
Control	External control
Dimension (cm)	24(P) x 14(L) x 4,3(H)
Weight (Kg)	0,9

Sani Close



SPECIFIC FEATURES

VENTILATION CHARACTERISTICS

Capacity (m ³ /h)	9
N° fan	2
Speed (rpm)	9500
Pressure (Pa)	37,3
Outlet air	Grid n° 20 - 18 x 3 mm

CHARACTERISTICS OF THE LIGHTING SYSTEM

N° Led UVC	2
Wavelength (nm)	265 - 275 nm
Irradiation 3 cm (μW/cm ²)	700
Irradiation 10 cm (μW/cm ²)	83

PACKAGING

External measure (cm)	29,5(P) x 19,5(L) x 8(H)
Total Weight (Kg)	1,3

